

Tender Document format for Interior Work

Central Bank of India, Regional office, Madurai, invites sealed tenders for Interior Furnishing for S.No.184/4B Main Road Srirengapuram , Theni dist-625534.

The Bid Formats can be downloaded from Bank's website www.centralbankofindia.co.in. The formats are also available at our Regional Office and can be collected during office hours.

The minimum criteria for prequalification will be as under:

- a. Contractor must be registered GST Vendor as per the government of India Norms
- b. Title of the Vendor (Legal Name) , address, PAN, GSTIN AND CONTACT DETAILS.
- c. Valid license, Registration contractor license etc.
- d. No litigation history or blacklisting by Government of India.
- e. Mode of application procedure Sealed envelopes (Application Mandatory information and Annexure 2.
- f. Detailed outline of the project, "Interior furnishing , cable works, electrical installations details can be done by visiting the Central Bank Of India SRIRENGAPURAM site.
- g. Main components are Counters, partitions false ceilings, painting and signage.
- h. The important aspect is Time line ie. 02.08.2026 Compliance with bank's design guidelines and regulation.
- i. The vendor / contractor is responsible for all the materials required for the project.
- j. Work must adhere to the bank's specifications and drawings.
- k. Safety and security measures must be followed on-site.
- l. Co-ordination with the Bank/Branch officials for site access.

m. Based on the work completion the payment will be made The payment will be made only after 100% work completed.

n. BANK RESERVES THE RIGHT TO TERMINATE the contract for non-compliance.

o. **Format for table listing items quantities, units, and rates**

Item .no.	Description	Quantity	Unit	Rate (Rs.	Total Amount (Rs.)
1	False Ceiling (Gypsum)	In Numbers	In sq.ft		
2	Counters	--do--	--do--		
4	Electrical /Data cabling & Other works as per requirement.				

Evaluation Process:

- Experience in similar projects
- Technical approach methodology
- Compliance with tender specification
- Lower Bid
- Price reasonableness and transparency.
- Bank reserves the right to reject any/all bids without assigning reasons.

2. Method of submitting Tenders: Tenders should be submitted only in sealed covers.

Tender covers will have three parts.

- The cover should contain KYC Details and the application & annex.2. The cover should be closed and sealed and super scribed as — for SRIRENGAPURAM branch premises and should also contain the name and address of the bidder on the cover.

- Both the Application and Annexure- 2 should be placed in the third cover and should be super scribed as —SEALED TENDER FOR College Branch BRANCH/ OFFICE PREMISES and to be addressed to Central Bank of India, BSD dept., Regional Office, 1 St Floor,Raja Muthaiah Mandram, Opp To Court Complex, Kk Nagar,Madurai-625020.
3. Last date for submission of Tender: 02.08.2026 at 17.00 hours
 4. Place for submission:CENTRAL BANK OF INDIA
REGIONAL OFFICE, 1 St Floor,Raja
Muthaiah Mandram, Opp To Court Complex, Kk Nagar,Madurai-
625020.
 5. Tenders will be opened at Regional Office, Madurai on any date decided by the Bank in due course.
 6. Bidder should ensure that the tender is received by the Bank before the date and time specified and no consideration whatsoever shall be given for postal or any kind of delay. Tenders received after the specified date and time are liable to be rejected and the decision is at the sole discretion of the Bank.
 7. Central Bank of India reserves the right to accept or reject or cancel any or all tenders without assigning any reason thereof and also reserve the right to place the order to any technically suitable Bidder/s who may not be the lowest as it deemed fit and proper.
 8. Only unconditional tenders will be accepted. Any conditional tender will be liable for rejection. Any bidder desire of imposing any condition having financial implication should load the tender appropriately and should not put any condition in the tender.
 9. The Financial Bid would be opened after short listing of Offers based on Technical Bid. Financial bid would be opened only for those short listed offers, on a future date and will be intimated to the short listed bidders at a later date.
 10. Banks decision on selection of the prospective offer is final.
 11. In case of dispute the decision of the Bank will be final and binding on all.

For Central Bank of India,
AUTHORIZED SIGNATORY.



LIST OF APPROVED MATERIALS: Vendors are advised to use the materials of below mentioned Brand with prior approval of Bank only.

MATERIAL	MANUFACTURER / BRAND NAME
Wood Materials for Storage	KIT PLY WOOD Preferably (18 MM)
Block board/ Plywood	Century/ Green ply / Archid confirming to IS 303 & IS 710.
Counters	20 MM Kit ply wood Preferably
Partition counter Works	8 MM Plywood Preferably Kitply
HANDELS	SS 4 MM for Drawers & 12 MM for storage units
Floor Spring	120 kg , Godrej , Dorma Hemco/ Ozone/ Geze/ Dorma/ Hardwyn/ Godrej Aluminum plate type confirming to IS: 6315
Multi-Purpose Locks	Godrej/ Dorset/ Link/ Harrison
Laminate	1mm Thk. Shade - HL Pine. (Laminate make - Greenlam, Century, Archid, Formica)
Veneer	Durian, Duro, Century
Glass	12 MM Toughened Glass For Doors 8 MM Toughened Glass For Cash Counter 12 MM Toughened Glass for Running counters
Screw / Nail	Branded as per the requirement
Hinges & Hardware	Ozone /Magnum/ Everite all ISI marked
Hydraulic Door Closure	Hyper/ Godrej/ Dorma/ Ozone/75 KG
Key Board Drawer/Tray	18 MM Plywood with 12 MM OR 16 MM Telescope Ready to use, computer keyboard tray KBT series keyboard of
Adhesive	Fevicol, Araldite, Mowicol, Mahacol
MICA Sheet	Century Plywood 0.8 MM
Paints	Asian, Berger, Deluxe or equivalent as per bank approval
Powder coating on all metal section	Ivory Gloss :- H3N00307S9
Cement	L&T, ACC, RAMCO/CHETTINAD
Vitrified Tiles	Kajaria [Shade Kajaria Make (AGCNL- K6211) /same shade matching in Nitco, Johnson Company] as approved by bank
Ceramic Tiles	Nitco/Kajaria/ Jhonsan (Sample shall be pre-approved by bank)
Vinyl Flooring	Applicable only in strong room are 2mm thk. (Armstrong, Rikwin, Marblax)
Sanitary Fittings	Parry Ware/ Hindware
Plumbing Fittings	G. I. Pipes, Tata/ Jindal/ Zenith Make C-Class
Water Taps, Stop cocks & other fittings	ISI Marked and as per bank approval
Insulation Wool	U.F. Twiga, Crown, Lloyd
Soil waste & R .W.P.	RIF/BC/SRIF
G I fitting	KS ENG. Works/R-mark, K-Mark, Jindal. Tats
G I Pipes	Tata/JINDAL/ Hissar
Stone ware pipes and gully traps	Perfect/Bura
Steel sinks	Neelkant, Nirali
Fire Retardant Coating	Viper or Equivalent
Wood Preservative	ASCU PS-2 or equivalent
Vertical/Venetian Blinds	Vista levellor/MAC

APPROVED LIST OF ELECTRICAL, DATA CABELING AND AIR-CONDITIONING WORKS	
DESRPTION	MAKE/ BRAND
PVC Insulated Copper wires (Multi stranded 650 V Gr.)	L&T/ RR Cable/ Finolex/ Polycab
MS Conduit and accessories	BEC/AKG/ KALINGA
Wires/ Cable (FRLS)	Finolex / KUNDAN / RR
Telephone wire	Finolex / Polycab/ RR
Armored XLPE/PVC Cables	Finolex / Polycab/ RR (Main cable 50sq.mx4 aluminum cables)
MCCB/MCB/ELCB/DB	Seimens/ L& T
Load line DB	HPL/Crompton, L & T/ Legrand 16 db box System separate box / ups input and out put separate box
Ceiling/ Wall mounted Fans/ Exhaust Fan with Louvers	Crompton/ CG/ Orient
PVC non-metallic conduits and accessories	BEC/ MEERAKUNJ/ FINOLEX/ Polycab/ Prince
Panel manufacturer	L&T/ ISI SPECEIFIED ITEM
Bulb holders, Ceiling rose, 6/16A Switch socket/Telephone socket/TV Outlet/Fan regulators	CROMPTON/ PHILIPHS / Anchor ROMA
GI pipes	Khandelwal/ Prakesh OR ISI SPECIFIED
Lugs/ Glands	Dowells/Comet/L & T OR ISI SPECIFIED
LAN/ Data Cable (Cat 6e)	D-Link, Digi Link
Changeover Switch	L & T, Legrand, Siemens
GI metal/Plastic boxes (Flush/Surface mounted)	Legrand / Crab tree / Anchor/ROMO
Selector switch & indication Light	Siemens/ L&T
Distribution Boards	Double Door Legrand/L&T/Siemens
Grid Light 2'x2' (LED)	Phillips/ Wipro
Down Light (LED)	Phillips/ Wipro
Central Air Conditioning Plants , Package type plant ,Window, Split AC, Cassette AC (Five Star rated)	WILL BE ORDERED AS PER Gem only Fitting if required

NOTE: Above specifications are of the general type only and must be used in conjunction with the drawing of the particular item being made. Anything shown on the drawing and not in the specification must be compiled with, and vice versa.